






#### **WE SPECIALISE IN**

- New floors
- Sand & seal
- Maintenance
- Repairs
- Refurbishment
- Skirting
- Line marking
- Logos
- Box seating
- Stages
- Cover strips

# RB TIMBER FLOORING

## Why our floors are superior

ALL OF OUR FLOORS MEET OR EXCEED
THE FIBA LEVEL 1 STANDARDS
SET DOWN IS IS BETWEEN 56.5MM - 60.0MM



#### Galvanised secret nailed

using 50mm crown staples in every board at all bearer crossings to minimise warping and movement

#### 2 layers of 12mm plywood

fixed perpendicular to each other to strengthen the floor

#### **Resilient floor pads**

50 to 55 durometer hardness battens 300-400mm centres. Solid blocking at perimeters and under retractable seating

Plastic membrane 200 micron high impact plastic. Taped at lapped. 20mm joints to help protect against moisture

**Concrete slab** must be level 13mm over 3m

V-Sports Air+ is a great system for both **sports and multi use floors.**It's the deluxe choice for stronger, longer lasting floors, especially those with high foot traffic and retractable seating making it perfect for big venues. **Talk to us** to see how it can be customized to meet your budget.



## Australian Hardwood Quality guaranteed



We meet all Australian Forestry Guidelines and all Timber Supplies Compliance

Timber is a natural product and is affected by its environment. To ensure the health of your timber and the longevity of your floors, we take moisture readings to determine the acclimatisation period it needs and the number of expansion gaps needed to ensure the best possible lay and an optimum lifetime finish.

Australian grown
 Sustainably sourced
















### **Australian Profile**

#### HARDWOOD FLOOR CHARACTERISTICS

Australian hardwoods are the superior option for multi-purpose sports floors because they look great and rank higher on the **Janka\* Hardness Test**. The higher the Janka\* score, the more durable and less prone to marks, wearing and dents the floor will be.

#### ETHICALLY SOURCED TIMBERS

Each time the floor is re-sanded, the weight rating will decrease. Note when placing heavy loads on the floor the weight must be dispersed over the floor with 20mm ply.





## Superior floors & service

## COMPARE FIBA WITH RB'S SUPERIOR STANDARDS WE MEET OR EXCEED FIBA'S STANDARDS IN ALL AREAS

Shock absorption / force reduction	Standard deformation	Ball response	Rolling load Resilient life
FIBA Level 1 Compliance standards on permanent wooden flooring			
≥50% to ≤70%	≥2.3 mm to ≤5.0 mm	≥93.0%	≤0.5 mm
RB's results on Tasmanian oak permanent wooden flooring			
54%	4.1 mm	93.7%	≤0.5 mm

## NOW IN PARTNERSHIP WITH STARENA SEATING

Starena can customise seating solutions to your venue's requirements. Save time and money by having us work hand in hand, to deliver faster results and reduce your costs for installation. We can offer a turn key solutions to fit in with your construction time lines.

#### SKIRTING

Skirting not only finishes off your floor but plays an important role in its optimal performance as it is designed to provide ventilation to the timber while protecting the sub floor from moisture.

#### **GAMES POSTS & ELECTRICALS**

We install games posts and cover plates for electrical boxes.









Talk to us about how we can help you improve your floors, call us today.

Vicky & Chris

DIRECTORS



**GET IN TOUCH** 

(03) 8201 7707 or (03) 9434 2896 info@rbtimberflooring.com.au www.rbtimberflooring.com.au

Factory 8 63 - 71 Bayfield Road East Bayswater North VIC 3153